DPW-6 Summary of Participant Data Test Case 5 CRM WB Coupled Aero-Structural Simulation

Stefan Keye

Dimitri Mavriplis

Institute for
Aerodynamics and Flow Technology
German Aerospace Center
Braunschweig, Germany

Department of Mechanical Engineering
University of Wyoming
Laramie, WY





Contents

- Overview Test Case 5
- Results
- Conclusions





Overview Test Case 5

- CRM Wing-Body Coupled Aero-Structural Simulation [Optional].
- Flow Conditions: $Ma_{\infty} = 0.85$; Re = 5.0×10⁶; fixed $C_L = 0.5 + -0.0001$; $T_{ref.} = 100 F$.
- Medium Baseline Grid.
- Finite-Element Model supplied by NASA via CRM Website.
- Compute static aero-elastic Deflections, starting from the undeformed Geometry.



Overview Test Case 5

Data submitted by 3 Teams.

• Flow (CFD) Solvers:

Finite-Volume (3)

• Structural (CSM) Solvers:

linear static Analysis (2)

linear modal Analysis (1)

Interpolation Methods CFD⇒CSM:

nearest-Neighbor (3)

Mesh Deformation Algorithms:

Radial Basis Functions (2)

Torsional Spring Analogy (1)







Results

- Force & Moment Data -

Participant	Grid Size	C _L
J4	47.7mio.	0.500016
L2	26.8mio.	0.500010








Results


- Wing Deformations -





Results

- Wing Deformations -





Conclusions

- Generally good Agreement between Teams.
- Minor Deviations for chord-wise Shock Location.
- Some Discrepancies for Slope of Twist Curve near Wing Root and Tip.
- Not enough Data for Statistics.



